Fagron Advanced Derma Convenience Pack for Antiaging treatment Sept 2018





Biotechnology & compounding



EPIfactor® is epidermal growth factor bioidentical produced biotechnologically. *This protein is generally unstable; therefore, its benefits can derive from individualized formulation through compounding.*

Its main property is to activate fibroblasts (biostimulation) and it is suitable for tissue regeneration and healing and safe treatment for multiple applications.



Innovative solution for photoaging & antiaging skin treatment



Benefits of EPIfactor®

- Biotechnological innovation for easy compounding
- Personalized, non-invasive treatment
- Significant cost reduction
- Suitable for application on difficult-to-treat areas, such as eyelashes and eyelids
- Optimum stability of the compounded preparation



Fagron Advanced Derma Convenience Pack SES

Fagron Derma Pack SES contains:

- ✓ Sodium hyaluronate 300 mg
- ✓ Epifactor® 1 ampule
- ✓ Serum base Seraqua[™] 30 ml
- ✓ Preparation container 30 g
- Airless dispensing container 30 g
- ✓ Compounding instructions
- ✓ BUD: 30 days
- ✓ Storage conditions: 2 8 °C





Benefits



Benefits of Fagron Advanced Derma Convenience Pack for Antiaging treatment

- Offer maximum efficiency and allow for personalized treatment
- Easy and quick compounding process simply by adding and mixing
- ✓ Cost-effective and time-saving solution
- ✓ The gentle skin feel and visual appeal help to improve the patient's comfort and compliance



References

- 1. Chung JH, Seo JY; Choi HR et al. Modulation of skin collagen metabolism in aged and photoaged human skin in vivo. Journal of Investigative Dermatology 2001; 117 (5):1218-1224.
- 2. Blumenberg M. Profiling and metaanalysis of epidermal keratinocytes responses to epidermal growth factor. BMC Genomics. 2013 Feb 8; 14-85. (6) Revista med-estetica. El factor decrecimiento epidermico: Molecula "Antiaging". No 44.
- 3. Carpenter G, Cohen S. Epidermal growth factor. J Biol Chem, 1990; 265 (14): 7709-12.
- 4. Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., & Zouboulis, C. C. (2012). Skin anti-aging strategies. Dermato-endocrinology, 4(3), 308-319.
- 5. Masaki, H. (2010). Role of antioxidants in the skin: anti-aging effects. Journal of dermatological science, 58(2), 85-90.
- 6. Schouest JM, Lun TK, Moy RL. Improved texture and appearance of barley produced, synthetic, human-like epidermal growth factor (EGF) serum. J. Drugs Dermatol. 2012; 11 (5): 613-620.

