



Oral formulations in SyrSpend® SF for prescribers and pharmacists

Indications

Version 1.0 | 01/21

Common indication	Active Pharmaceutical Ingredient (API)	Concentration	Physical and chemical stability*
Acne	Tetracycline HCl	25 mg/ml	90 days
Alcohol dependence	Naltrexone HCl	1 mg/ml	90 days
Angina pectoris	Amlodipine (as besylate)	1 mg/ml	90 days
	Atenolol	1 - 5 mg/ml	60 - 90 days
	Carvedilol	1 - 5 mg/ml	90 days
	Diltiazem HCl	12 mg/ml	90 days
	Metoprolol tartrate	10 mg/ml	90 days
	Nadolol	10 mg/ml	90 days
	Nifedipine	4 mg/ml	90 days
	Propranolol HCl	0.5 - 5 mg/ml	90 days
	Verapamil HCl	50 mg/ml	60 days
Anxiety & panic disorders	Alprazolam	1 mg/ml	90 days
	Clomipramine HCl	5 mg/ml	90 days
	Clonazepam	0.2 mg/ml	90 days
	Clonidine HCl	0.1 mg/ml	7 days
	Clozapine	25 mg/ml	60 - 90 days
	Fluoxetine HCl	2 mg/ml	90 days
	Haloperidol	0.5 mg/ml	90 days
	Lorazepam	1 mg/ml	60 - 90 days
	Pregabalin	20 mg/ml	90 days
	Sertraline HCl	10 mg/ml	90 days
Asthma & COPD	Glycopyrrolate (glycopyrronium bromide)	0.5 mg/ml	90 days
Biliary cirrhosis	Ursodiol (ursodeoxycholic acid)	20 - 30 mg/ml	66 - 90 days
Bradycardia	Atropine sulfate	0.1 mg/ml	90 days
Candidiasis	Itraconazole	20 mg/ml	90 days
	Terbinafine HCl	25 mg/ml	90 days
Cardiac arrhythmias	Amiodarone HCl	5 mg/ml	90 days
	Atenolol	1 - 5 mg/ml	60 - 90 days
	Diltiazem HCl	12 mg/ml	90 days
	Flecainide acetate	20 mg/ml	90 days
	Metoprolol tartrate	10 mg/ml	90 days
	Nadolol	10 mg/ml	90 days
	Propranolol HCl	0.5 - 5 mg/ml	90 days
	Quinidine sulfate	10 mg/ml	90 days
	Sotalol HCl	5 mg/ml	90 days
	Verapamil HCl	50 mg/ml	60 days
Cystinuria	Penicillamine	50 mg/ml	90 days
Depression	Amitriptyline HCl	10 mg/ml	90 days
	Clomipramine HCl	5 mg/ml	90 days
	Fluoxetine HCl	2 mg/ml	90 days
	Imipramine HCl	5 mg/ml	90 days
	Sertraline HCl	10 mg/ml	90 days
Diabetic nephropathy	Captopril	0.8 mg/ml	14 days

*For detailed information, please be referred to the Fagron SyrSpend SF compatibility table or Compounding Matters



Common indication	Active Pharmaceutical Ingredient (API)	Concentration	Physical and chemical stability*
Diabetic nephropathy	Lisinopril (as dihydrate)	1 mg/ml	90 days
Diarrhoea	Clonidine HCl	0.1 mg/ml	7 days
	Loperamide HCl	1 mg/ml	90 days
Dyspepsia	Esomeprazole magnesium	3 mg/ml	60 days
	Omeprazole	2 - 5 mg/ml	90 days
	Pantoprazole sodium	3 mg/ml	60 days
	Ranitidine HCl	14 mg/ml	36 - 58 days
Eczema	Cyclosporine	100 mg/ml	90 days
Epilepsy	Acetazolamide	25 mg/ml	90 days
	Carbamazepine	25 mg/ml	90 days
	Clonazepam	0.2 mg/ml	90 days
	Gabapentin	50 mg/ml	90 days
	Lamotrigine	1 mg/ml	90 days
	Lorazepam	1 mg/ml	60 - 90 days
	Midazolam (as HCl)	1 mg/ml	60 days
	Phenobarbital	9 - 15 mg/ml	90 days
	Phenytoin	15 mg/ml	90 days
	Pregabalin	20 mg/ml	90 days
	Tiagabine HCl	1 mg/ml	30 - 90 days
	Topiramate	5 mg/ml	90 days
	Zonisamide	10 mg/ml	90 days
	Gallstones	Ursodiol (ursodeoxycholic acid)	20 - 30 mg/ml
Glaucoma	Acetazolamide	25 mg/ml	90 days
Gout	Naproxen	25 mg/ml	90 days
Heart failure	Captopril	0.8 mg/ml	14 days
	Carvedilol	1 - 5 mg/ml	90 days
	Enalapril maleate	1 mg/ml	90 days
	Hydrochlorothiazide	2 - 5 mg/ml	90 days
	Lisinopril (as dihydrate)	1 mg/ml	90 days
	Metoprolol tartrate	10 mg/ml	90 days
	Spirolactone	2 - 25 mg/ml	90 days
	Spirolactone / Hydrochlorothiazide	5 / 5 mg/ml	90 days
	Valsartan	4 mg/ml	90 days
Hepatitis	Azathioprine	50 mg/ml	14 days
	Penicillamine	50 mg/ml	90 days
Hyperaldosteronism	Hydrochlorothiazide	2 - 5 mg/ml	90 days
	Spirolactone / hydrochlorothiazide	2 - 25 mg/ml 5 / 5 mg/ml	90 days 90 days
Hyperlipidaemia	Simvastatin	1 mg/ml	90 days
Hypertension	Atenolol	1 - 5 mg/ml	60 - 90 days
	Captopril	0.8 mg/ml	14 days
	Carvedilol	1 - 5 mg/ml	90 days
Hypertension	Clonidine HCl	0.1 mg/ml	7 days

*For detailed information, please be referred to the Fagron SyrSpend SF compatibility table or Compounding Matters

Common indication	Active Pharmaceutical Ingredient (API)	Concentration	Physical and chemical stability*
Hypertension	Diltiazem HCl	12 mg/ml	90 days
	Enalapril maleate	1 mg/ml	90 days
	Furosemide	10 mg/ml	14 days
	Hydralazine HCl	4 mg/ml	30 days
	Hydrochlorothiazide	2 - 5 mg/ml	90 days
	Labetalol HCl	40 mg/ml	90 days
	Lisinopril (as dihydrate)	1 mg/ml	90 days
	Methyldopa	50 mg/ml	60 days
	Metoprolol tartrate	10 mg/ml	90 days
	Nadolol	10 mg/ml	90 days
	Nifedipine	4 mg/ml	90 days
	Nitrendipine	5 mg/ml	60 days
	Propranolol HCl	0.5 - 5 mg/ml	90 days
	Spirolactone / hydrochlorothiazide	5 / 5 mg/ml	90 days
	Valsartan	4 mg/ml	90 days
	Verapamil HCl	50 mg/ml	60 days
Amlodipine (as besylate)	1 mg/ml	90 days	
Hyperthyroidism	Nadolol	10 mg/ml	90 days
	Propylthiouracil	5 mg/ml	90 days
Hyperuricaemia	Allopurinol	20 mg/ml	90 days
Hypothyroidism	Levothyroxine Sodium (T4)	25 microgram/ml	90 days
Infections	Ciprofloxacin HCl	50 mg/ml	60 - 90 days
	Cloxacillin	50 mg/ml	5 days
	Darunavir / Cobicistat	20 / 3.75 mg/ml	7 days
	Doxycycline	2 - 10 mg/ml	90 days
	Ethambutol 2 HCl	50 - 100 mg/ml	90 days
	Griseofulvin	25 mg/ml	90 days
	Hydroxychloroquine sulfate	25 - 50 mg/ml	90 days
	Levofloxacin	50 mg/ml	90 days
	Metronidazole benzoate	80 mg/ml	90 days
	Minocycline HCl	10 mg/ml	60 days
	Oseltamivir (as phosphate)	6 - 15 mg/ml	90 days
	Rifampin (rifampicin)	25 mg/ml	60 days
	Sulfadiazine	100 mg/ml	90 days
	Tetracycline HCl	25 mg/ml	90 days
	Trimethoprim	10 mg/ml	90 days
	Vancomycin HCl	25 - 50 mg/ml	90 days
Inflammatory bowel disease	Mebeverine HCl	10 mg/ml	90 days
	Sulfasalazine	100 mg/ml	90 days
Insomnia	Chloral hydrate	100 mg/ml	60 days
	Lorazepam	1 mg/ml	60 - 90 days
	Melatonin	3 mg/ml	90 days
	Midazolam (as HCl)	1 mg/ml	60 days

*For detailed information, please be referred to the Fagron SyrSpend SF compatibility table or Compounding Matters



Common indication	Active Pharmaceutical Ingredient (API)	Concentration	Physical and chemical stability*
Jet lag	Melatonin	3 mg/ml	90 days
Juvenile idiopathic arthritis	Celecoxib	10 mg/ml	90 days
Lead poisoning	Penicillamine	50 mg/ml	90 days
Leprosy	Dapsone	2 mg/ml	90 days
	Minocycline HCl	10 mg/ml	60 days
Leukaemia	Mercaptopurine	10 mg/ml	90 days
	Thioguanine	2.5 mg/ml	90 days
Malaria	Chloroquine phosphate	15 mg/ml	90 days
	Hydroxychloroquine sulfate	25 - 50 mg/ml	90 days
Malignancies	Lomustine	4 - 10 mg/ml	90 days
	Methotrexate	2.5 mg/ml	90 days
	Procarbazine HCl	10 mg/ml	30 days
Migraine	Atenolol	1 - 5 mg/ml	60 - 90 days
	Metoprolol tartrate	10 mg/ml	90 days
	Naproxen	25 mg/ml	90 days
	Propranolol HCl	0.5 - 5 mg/ml	90 days
	Topiramate	5 mg/ml	90 days
	Nadolol	10 mg/ml	90 days
Myocardial infarction	Captopril	0.8 mg/ml	14 days
	Carvedilol	1 - 5 mg/ml	90 days
	Lisinopril (as dihydrate)	1 mg/ml	90 days
	Metoprolol tartrate	10 mg/ml	90 days
	Propranolol HCl	0.5 - 5 mg/ml	90 days
	Valsartan	4 mg/ml	90 days
	Verapamil HCl	50 mg/ml	60 days
	Atenolol	1 - 5 mg/ml	60 - 90 days
	Clopidogrel (as bisulfate)	5 mg/ml	30 days
	Warfarin sodium	1 mg/ml	10 - 44 days
Nausea & vomiting	Domperidone	5 mg/ml	90 days
	Haloperidol	0.5 mg/ml	90 days
	Ondansetron HCl	0.8 mg/ml	90 days
Neonatal apnoea	Caffeine	10 mg/ml	90 days
Neuropathy	Amitriptyline HCl	10 mg/ml	90 days
	Gabapentin	50 mg/ml	90 days
	Phenytoin	15 mg/ml	90 days
	Topiramate	5 mg/ml	90 days
Nocturnal enuresis	Clomipramine HCl	5 mg/ml	90 days
Oedema	Furosemide	10 mg/ml	14 days
	Hydrochlorothiazide	2 - 5 mg/ml	90 days
	Spironolactone / Hydrochlorothiazide	2 - 25 mg/ml	90 days
	Spironolactone / Hydrochlorothiazide	5 / 5 mg/ml	90 days

*For detailed information, please be referred to the Fagron SyrSpend SF compatibility table or Compounding Matters

Common indication	Active Pharmaceutical Ingredient (API)	Concentration	Physical and chemical stability*
Oesophageal reflux	Esomeprazole magnesium	3 mg/ml	60 days
	Omeprazole	2 - 5 mg/ml	90 days
	Pantoprazole sodium	3 mg/ml	60 days
	Ranitidine HCl	14 mg/ml	36 - 58 days
Opioid dependence	Naltrexone HCl	1 mg/ml	90 days
Oral corticosteroid	Dexamethasone	1 mg/ml	90 days
	Hydrocortisone	1 mg/ml	90 days
	Hydrocortisone hemisuccinate	2 mg/ml	60 days
	Hydrocortisone sodium phosphate	2 mg/ml	60 days
	Prednisolone sodium phosphate	1.5 mg/ml	30 days
	Prednisone	5 mg/ml	60 days
Oral mucositis	Glutamine	250 mg/ml	90 days
Organ and tissue transplantation	Tacrolimus (as monohydrate)	0.5 - 1 mg/ml	90 days
Osteoarthritis	Celecoxib	10 mg/ml	90 days
Pain	Acetaminophen	50 mg/ml	90 days
	Amitriptyline HCl	10 mg/ml	90 days
	Caffeine	10 mg/ml	90 days
	Celecoxib	10 mg/ml	90 days
	Clonidine HCl	0.1 mg/ml	7 days
	Diclofenac sodium	5 mg/ml	90 days
	Gabapentin	50 mg/ml	90 days
	Imipramine HCl	5 mg/ml	90 days
	Ketoprofen	20 mg/ml	90 days
	Methadone HCl	10 mg/ml	90 days
	Naproxen	25 mg/ml	90 days
	Paracetamol	50 mg/ml	90 days
	Pregabalin	20 mg/ml	90 days
	Tramadol HCl	5 - 30 mg/ml	90 days
	Parkinson's disease	Levodopa / Carbidopa	5 - 10 / 1.25 - 2.5 mg/ml
Zonisamide		10 mg/ml	90 days
Peptic ulcers	Esomeprazole magnesium	3 mg/ml	60 days
	Glycopyrrolate (glycopyrronium bromide)	0.5 mg/ml	90 days
	Metronidazole benzoate	80 mg/ml	90 days
	Omeprazole	2 - 5 mg/ml	90 days
	Pantoprazole sodium	3 mg/ml	60 days
Promote weight gain	Oxandrolone	3 mg/ml	90 days
Psoriasis	Cyclosporine	100 mg/ml	90 days
	Methotrexate	2.5 mg/ml	90 days
Psychoses	Clozapine	25 mg/ml	60 - 90 days
	Haloperidol	0.5 mg/ml	90 days
Pulmonary arterial hypertension	Sildenafil citrate	2.5 mg/ml	92 days

*For detailed information, please be referred to the Fagron SyrSpend SF compatibility table or Compounding Matters



Common indication	Active Pharmaceutical Ingredient (API)	Concentration	Physical and chemical stability*
Rheumatoid arthritis	Celecoxib	10 mg/ml	90 days
	Cyclosporine	100 mg/ml	90 days
	Diclofenac sodium	5 mg/ml	90 days
	Ketoprofen	20 mg/ml	90 days
	Methotrexate	2.5 mg/ml	90 days
	Naproxen	25 mg/ml	90 days
	Penicillamine	50 mg/ml	90 days
	Sulfasalazine	100 mg/ml	90 days
	Tacrolimus (as monohydrate)	0.5 - 1 mg/ml	90 days
Rosacea	Metronidazole benzoate	80 mg/ml	90 days
	Tetracycline HCl	25 mg/ml	90 days
Sedation	Chloral hydrate	100 mg/ml	60 days
	Clozapine	25 mg/ml	60 - 90 days
Spasms	Baclofen	2 - 10 mg/ml	90 days
Systemic fungal infections	Itraconazole	20 mg/ml	90 days
	Ketoconazole	20 mg/ml	90 days
	Terbinafine HCl	25 mg/ml	90 days
Thromboembolism	Clopidogrel (as bisulfate)	5 mg/ml	30 days
	Dipyridamole	10 mg/ml	90 days
	Warfarin sodium	1 mg/ml	10 - 44 days
Toxoplasmosis	Sulfadiazine	100 mg/ml	90 days
Transplantation	Azathioprine	50 mg/ml	14 days
	Cyclosporine	100 mg/ml	90 days
Tuberculosis	Isoniazid	10 mg/ml	90 days
	Levofloxacin	50 mg/ml	90 days
	Pyrazinamide	100 mg/ml	90 days
Urinary - tract infections	Nitrofurantoin	2 mg/ml	90 days
Vascular disorders	Pentoxifylline	20 mg/ml	90 days
Vitamin deficiencies	Cholecalciferol (vit. D3)	50000 IU/ml	90 days
	Folic acid	1 mg/ml	90 days
	Pyridoxine HCl (vit.B6)	50 mg/ml	90 days
	Riboflavin (vit.B2)	10 mg/ml	90 days
	Thiamine HCl (vit. B1)	100 mg/ml	90 days
Wilson's disease	Penicillamine	50 mg/ml	90 days
Zollinger - Ellison syndrome	Ranitidine HCl	14 mg/ml	36 - 58 days

*For detailed information, please be referred to the Fagron SyrSpend SF compatibility table or Compounding Matters

Disclaimer

While a great deal of effort has been made to ensure the accuracy of the information contained herein, no claims are made as to the uses, safety, efficacy, or bioavailability of these recommendations. The information cannot be construed as (medical) advice, recommendation, or opinion. Health professionals using this information are advised to do so solely if appropriate in their own professional opinion and judgment. Fagron does not accept and cannot be held responsible or liable in any case for the information contained here.

